

AKABA



Ados

Stackable chair with or without arms in polypropylene. Option of upholstered seat front only or upholstered seat and back.

Structure 12mm solid stainless steel tubes and 2 ancillary reinforcements with a thickness of 25 x 5mm.

Seat, back and arms 100% polypropylene with antistatic and UV resistant additives.

Foam seat cushions with 35 kg/m³ density and 10mm thickness; glued using eco-friendly waterborne adhesive.

Glides riveted to the structure in 100% polypropylene.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0

Upholstery seat only, or upholstered seat and back. See manufacturers' fabric specifications.

ENVIRONMENTAL CERTIFICATES

ANSI/BIFMA X5.1:2011 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.


ISO 14006 Ecodesign.

EPD (Declaración medioambiental de producto, Environmental product declaration).

 Recyclable up to **100 %**.

MEASURES

ADOS WIRE



SPECS



Product weight:
Ados without arms
7 kg

Ados with arms
8 kg



Packaging Information:
610x730x1080 mm



Number of stackable chairs:
20 chairs
25 chairs in trolley



Number of chairs per box:
4



Footage for upholstered versions (COM):
(for more than 1 unit contact factory)

Seat 0,54 lm / 6 feet
Fully 0,54 lm / 6 feet

ACCESORIES



Stacking and transport trolley / AD



Writing pad & ganging clip / AD
Ganging clip concealed under the seat.
HPL (high-pressure laminate) writing pad, removable with no need for tools.



Riveted felt glides / AD

IMAGES



AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved