

AKABA

Guri Pyramid Tube



MATERIALS

Pyramidal chair without swivel and with or without arms.

Structure with 4 arms base of powder coated Ø20mm steel tube with castors.

Shell single piece in polypropylene + fiberglass, 100% recyclable.

Foam cushion with different densities, glued using eco-friendly waterborne adhesive.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.

Castors soft or hard.

Upholstery seat only or fully upholstered. See manufacturers' specifications for fabrics.

Environmental certificates

ISO 14006 Ecodesign

ISO 9001 Quality management

ISO 14001 Environmental management systems

EPD (Declaración medioambiental de producto, Environmental product declaration).

RECYCLING & DISASSEMBLY

The furniture is designed for long-lasting use, ensuring its functionality and beauty for many years. It is 100% recyclable, and each component can be easily separated and sent to appropriate recycling facilities.

CARE & MAINTENANCE

At Akaba, we provide a maintenance guide with recommendations to keep your furniture in optimal condition. Learn how to preserve the functionality, finish, and beauty of your pieces over time.

ORIGIN

SPAIN


WARRANTY
5 YEARS

DOWNLOADS

Packshots and lifestyle photos, 2D/3D files, care and maintenance guides, test certificates, and product datasheets are available in our Professional Area.

Measures

Guri Pyramid Tube



Configurator

Specs

Product weight:

Polypropylene 6,1kg
Only seat upholstered 6,9kg
Fully upholstered 6,3kg

Packaging information:

570x670x1080mm

Number of chairs per box:

2

Footage for upholstered versions (COM):

(for more than 1 unit contact factory)

Only seat 0,6ml / 3 feet
Fully upholstered 0,9ml

Accessories



"ExtraSoft" - AC102 / AC103
Seat or fully upholstered
"extra soft".



Arms - AC034 / AC038
Powder coated arms or
polished arms.

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052