AKABA

Guri Pyramid Wood Base

MATERIALS

Chair with or without arms.
Structure with 4 arms base in natural varnished or black stained oak wood. Fixed or swivel.
Shell single piece in polypropylene + fiberglass, 100% recyclable.
Foam cusion with different densities, glued using eco-friendly waterborne adhesive.
Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.
Glides in polypropylene.
Upholstery seat only or fully upholstered. See manufacturers' specifications for fabrics.

Environmental certificates

ISO 14006 Ecodesign
ISO 9001 Quality management
ISO 14001 Environmental management systems
EPD (Declaración medioambiental de producto, Environmental product declaration.

RECYCLING & DISASSEMBLY

The furniture is designed for long-lasting use, ensuring its functionality and beauty for many years. It is 100% recyclable, and each component can be easily separated and sent to appropriate recycling facilities.

CARE & MAINTENANCE

At Akaba, we provide a maintenance guide with recommendations to keep your furniture in optimal condition. Learn how to preserve the functionality, finish, and beauty of your pieces over time.

ORIGIN

SPAIN

WARRANTY
5 YEARS

DOWNLOADS
Packshots and lifestyle photos, 2D/3D files, care and maintenance guides, test certificates, and product datasheets are available in our Professional Area.

Measures

Guri Pyramid Wood Base



Configurator

Specs

Product weight:
Polypropylene 6,0kg
Only seat upholstered 6,8kg
Fully upholstered 6,2kg

Packaging information:
570x670x1080mm

Number of chairs per box:
2

Footage for upholstered versions (COM):
(for more than 1 unit contact factory)

Only seat 0,6ml / 3 feet
Fully upholstered 0,9ml

Accesories

Felt Glides - AC079

"Extra Soft" - AC102 / AC103
Seat or fully upholstered “extra soft”.

Arms - AC034 / AC038
Powder coated arms or polished arms.

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052