

AKABA

Lur 4 Legs



Chair with arms.

Structure Ø18mm steel tube.

Shell single piece in polypropylene + fiberglass, 100% recyclable.

Foam cushion with different densities, glued using eco-friendly waterborne adhesive.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0.

Glides in polypropylene.

Upholstery seat only, front upholstery or fully upholstered. See manufacturers' specifications for fabrics.

Environmental certificates

ISO 14006 Ecodesign

ISO 9001 Quality management

ISO 14001 Environmental management systems

EPD (Declaración medioambiental de producto, Environmental product declaration.


UNE EN 16139:2013 Furniture - Strength, durability and safety - Requirements for non-domestic seating.

UNE EN 1021-1:2015 y UNE EN 1021-2:2015 Reaction to fire.

Recyclable up to 100 %.

Measures

Lur 4 Legs



Configurator

Specs

Product weight:

Polypropylene 5,5kg
Only seat upholstered 6,4kg
Frontal upholstery 6,6kg
Fully upholstered 7,6kg

Packaging information:

670x570x870mm

Number of chairs per box:

1

Footage for upholstered versions (COM):

(for more than 1 unit contact factory)

Only seat 0,55ml / 4 feet
Frontal 0,85ml
Fully upholstered 1,5ml

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052