

AKABA

Lur Sled



Chair with arms.

Structure powder coated Ø14mm steel tube.

Shell single piece in polypropylene + fiberglass, 100% recyclable.

Foam cushion with different densities, glued using eco-friendly waterborne adhesive.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0.

Glides translucent.

Upholstery seat only, front upholstery or fully upholstered. See manufacturers' specifications for fabrics.

Environmental certificates

EPD (Environmental product declaration).

UNE EN 16139:2013 Furniture - Strength, durability and safety - Requirements for non-domestic seating.


UNE EN 1021-1:2015 y UNE EN 1021-2:2015 Reaction to fire.

ISO 14006:2020 Ecodesign.

Recyclable up to 100 %.

Measures

Lur Sled



Configurator

Specs

Product weight:

Sin tapizar 6,0kg
Asiento tapizado 6,9kg
Tapizado frontal 7,1kg
Tapizado integral 8,1kg

Packaging information:

670x570x870mm

Number of chairs per box:

1

Footage for upholstered versions (COM):

(for more than 1 unit contact factory)

Only seat 0,55ml / 4 feet

Frontal 0,85ml

Fully upholstered 1,5ml

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052