

Xut Three Columns



The Xut modular table system stands out for its versatility, offering dimensions, shapes and finishes that can be customized to adapt and fit any room.

Top 19mm melamine, 19mm wood veneer or 20mm black fenix.

Columns: Interlocking powder coated aluminum slats that create different shapes.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0.

Environmental certificates

Designed following ISO 14006 Ecodesign criteria.


ISO 9001 Quality management.

ISO 14001 Environmental management systems.

EPD (Declaración medioambiental de producto, Environmental product declaration).

Measures

Rectangular 2 Tabletops + Intermediate Column



Accessories



Top Access Round - AC072
Ø140mm support / Ø102mm cut out / Ø80mm passage.
Round metal top access with removable cover.
Customisable colour.



Top Access Rectangular - AC097
300x135mm support / 275x110mm cut out / 253x88mm passage.
Rectangular metal top access with removable cover and double outlet.
Customisable colour.



Top Access - AC052
Ø96mm support / Ø80mm cut out.
White, black or grey colour.



USB Charger - AC083
Ø70mm support / Ø60mm cut out.
1 schuko + 1 USB charge A and C.
Black colour.



Multicharger Pro - AC085
Ø80mm support / Ø71mm cut out.
Wireless charging + USB A and C.
Black colour.



Top Access Small Rectangular - AC060
240x100mm support / 233x93mm cut out.
Top access small rectangular in metal.
White or black colour.



Top Access Big Rectangular - AC061
320x100mm support / 313x93mm cut out.
Top access big rectangular in metal.
White or black colour.



Top Access Double - AC062
320x135mm support / 313x128mm cut out.
Top access double opening in metal.
White or black colour.



Top Access Square - AC063
100x100mm support /
93x93mm cut out.
Top access square in metal.
White or black colour.



Electrification Box - AC070
144x78,6mm support /
135x67mm cut out.
Surface electrical unit with 2
schukos.
White or black colour.




Electrification Box - AC071
267,75x78,6mm support /
258,8x67mm cut out.
Surface electrical unit with 1
schuko + 1 USB charge A et
C + 2 RJ45 + 1 HDMI.
White or black colour.



Kit D'Électrification - AC056
319x154mm support /
294x147mm cut out.
Électrification a fleur de
plateaux avec Ouverture
45°, box en métal avec top
rabattable 4 modules oitils.
Kit: 2 schukos + 1 HDMI + 2
RJ45 + câble conexión 3
metres.
White or black colour.



Wooden Top Access - AC098
310x100mm.
Built-in wooden top access.
(Available only for wooden
tabletops).




Wire Mesh Tray - AC073 / AC076
400x150xh60mm /
700x150xh60mm.
Metal grill-type tray for
electrification.
Customisable in colour.




**Wire Mesh Tray - AC093 /
AC094**
400x200xh110mm /
700x200xh110mm.
Metal grill-type tray for
electrification.
Customisable in colour.



Cable Tray - AC054
420x155xh130mm.
Metallic cable tray for
electrification.
Customisable in colour.



Doble Cable Tray - AC078
600x460x154mm.
Metallic double cable tray for
electrification.
Customisable in colour.



Fordable Tray - AC099 / AC100
600x316xh126mm /
900x316xh126mm.
Fordable metal tray for
storage of electrification.
Customisable colour.



Electrified Column
Lateral columns with side
access, intermediate column
with side access and
intermediate column with
double access for
electrification.
Customisable colour.



**Suspended Buck with Drawer -
AC075**
395x353xh355mm.
Melamine drawer and pencil
holder in metal powder
coated. Includes interior
protective black rubber.
Single colour, six colours
available: white, graphite,

olive green, rose, grey clay or
red clay.



Upholstered Screens

Fix or self-supporting.

Individual 665x30xh410mm.

Double 1325x30xh140mm.

Upholstery: See fabric
specifications according to
the manufacturer.

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052