

AKABA



Gorka

POLYAMIDE, WOOD, XL

GORKA POLYAMIDE

Stackable polyamide chair with and without arms.

Side structures high-pressure die-cast aluminium. Quality: UNE L-2630. Injection pressure = 1,000 MT.

Shell crystalline polymer polyamide and fiberglass (polyamide 6 + 35% fiberglass), injection pressure: 1,000 MT.

Foam seat cushions with 35 kg/m³ density and 20mm thickness; glued using eco-friendly waterborne adhesive.

Glides polyamide 6 + 35% fiberglass.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or polished.

Upholstery seat only or seat and back. See manufacturers' specifications for fabrics.

GORKA WOOD

Stackable wooden chair with and without arms

Side structures high-pressure die-cast aluminium. Quality: UNE L-2630. Injection pressure = 1,000 MT.

Shell 9-layer beech wood curved in high frequency hot press and aluminium mould. Surface treatment with fine 100 grade steel wool. Final coat of two-component polyurethane and catalyst with UV and non-yellowing filter. Discontinuous thickness 10-11mm.

Foam cushion 35 kg/m³ density and 10mm thickness; glued using eco-friendly waterborne adhesive.

Glides polyamide 6 + 35% fiberglass.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or polished.

Finishes stained with matt acrylic varnish with UV filter available in different options.

Upholstery see manufacturers' specifications.

GORKA XL

Stackable wooden chair with and without arms

Side structures high-pressure die-cast aluminium. Calidad: UNE L-2630. Injection pressure = 1,000 MT

Shell 9-layer beech wood curved in high frequency hot press and aluminium mould. Surface treatment with fine 100 grade manual nylon roller brush. Final coat of two-component polyurethane and catalyst with UV and non-yellowing filter. Discontinuous thickness 10-11mm.

Foam cushion with 35 kg/m³ density and 10mm thickness; glued using eco-friendly waterborne adhesive.

Glides polyamide 6 + 35% fiberglass.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or polished.

Finishes stained with matt acrylic varnish with UV filter available in different options.

Upholstery see manufacturers' specifications.

ENVIRONMENTAL CERTIFICATES

ANSI/BIFMA X5.1:2011

UNE EN 11010 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.

BS 4872.1-85 BS4875.2-85 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.


ISO 14006 Ecodesign.

EPD (Declaración medioambiental de producto, Environmental product declaration).


 Recyclable up to **100 %**.

MEASURES


GORKA POLYAMIDE



GORKA WOOD STACKABLE



GORKA POLYURETHANE



SPECS



Product weight:

Polyamide
7,6 kg
7,9 kg

Wood
8 kg
8,3 kg

XL
8,8 kg
9,1 kg



Number of chairs per box:

Polyamide 4
Wood 4
XL 3



Packaging Information:

Polyamide 610x730x1080 mm
Wood 610x730x1080 mm
XL 610x730x1080 mm



Number of stackable chairs:

Polyamide 10 sillas
Wood 10 sillas
XL 10 sillas

Polyamide 14 sillas en carro
Wood 14 sillas en carro
XL 14 sillas en carro



Footage for upholstered versions (COM):

Polyamide
Tejidos para 1 ud.
(para más uds. consultar fábrica)
0,54 ml
Pieles para 1 ud.
(para más uds. consultar fábrica)
10 pies

Wood
Tejidos para 1 ud.
(para más uds. consultar fábrica)
0,87 ml
Pieles para 1 ud.
(para más uds. consultar fábrica)
15 pies

XL
Tejidos para 1 ud.
(para más uds. consultar fábrica)
0,92 ml
Pieles para 1 ud.
(para más uds. consultar fábrica)
18 pies


ACCESSORIES



Felt glides / GK



Writing pad / GK
HPL (high-pressure laminate) writing pad on the arm.




Stacking and transport trolley / GK



Ganging clip / GK
Telescopic ganging clip, concealed beneath the seat.

IMAGES



AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved