

AKABA



Kabi

Stackable chair without arms, with arms (open and closed).

Structure Ø16mm steel tube for chair without arms, and Ø20mm steel tube for chair with arms (open and closed).

Shell single piece in 70% polypropylene + 30% fiberglass, 100% recyclable.

Foam cushion with 35 kg/m³ density and 15mm thickness for fully upholstered shells; foam cushion with 35kg/m³ density and 10mm thickness for versions with upholstered seat only; glued using eco-friendly waterborne adhesive.

Trim and upholstery protector beneath the seat in 100% polystyrene.

Glide with ball joint system in polyamide 6.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct or chrome finish, composition: 98.4% NI, 1.6% CR, 24.4 micron thickness and UNE EN ISO 2409-96 adhesion, Classification 0

Upholstery seat only or fully upholstered. See manufacturers' specifications for fabrics.

ENVIRONMENTAL CERTIFICATES

UNE EN 16139 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.


ISO 14006 Ecodesign.

EPD (Declaración medioambiental de producto, Environmental product declaration).

 Recyclable up to **100 %**.

MEASURES

KABI 4 LEGS



SPECS



Product weight:

Kabi without arms
5,8 kg

Kabi with arms
8,4 kg



Packaging Information:

610x730x1080 mm



Number of stackable chairs:

10 chairs
14 chairs in trolley



Number of chairs per box:

4




Footage for upholstered versions (COM):

(for more than 1 unit contact factory)

Seat 0,54 lm / 10 feet
Fully 0,86 lm / 15 feet

ACCESORIES




Writing pad / KB
Easily removable
HPL (high-pressure
lamine) writing
pad.



Stacking trolley / KB

IMAGES



AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved