

AKABA



Kabi Stool

Stackable stool with no arms in 2 heights.

Structure Ø12mm solid steel bar.

Shell single piece in 70% polypropylene + 30% fiberglass, 100% recyclable.

Foam cushion with 35 kg/m³ density and 15mm thickness for fully upholstered shells; foam cushion with 35kg/m³ density and 10mm thickness for versions with upholstered seat only; glued using eco-friendly waterborne adhesive.

Trim and upholstery protector beneath the seat in 100% polystyrene.


Glides riveted, in polypropylene.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.

Upholstery seat only or fully upholstered. See manufacturers' fabric specifications.

MEASURES

KABI STOOL



SPECS

**Product weight:**

h760 / 8,4 kg

h640 / 8 kg

**Packaging Information:**

h760 / 680x570x1100 mm

h640 / 680x570x1100 mm

**Number of stackable chairs:**

6

**Number of chairs per box:**

h760 / 3

h640 / 3

**Footage for upholstered versions****(COM):**

(for more than 1 unit contact factory)


Seat 0,54 lm / 10 feet

Fully 0,86 lm / 15 feet

ACCESORIES



Stacking trolley / KB

Riveted felt glides /
KB

IMAGES



AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved