


AKABA



Kabi Swivel

Swivel chair with arms and without arms.

Structure 4-star injected aluminium base, fixed height and swivelling.

Shell single piece in 70% polypropylene + 30% fiberglass, 100% recyclable.

Foam cushion with 35 kg/m³ density and 15mm thickness for fully upholstered shells; foam cushion with 35kg/m³ density and 10mm thickness for versions with upholstered seat only; glued using eco-friendly waterborne adhesive.

Closed arms steel tube.

Glides polypropylene and felt.

Metallic finishes epoxy/polyester paint with a thickness of 50-90 microns depending on the colour, ISO 2409 Gt 0 adhesion and ASTM 2794 impact 2.5 joules reverse & direct.


Upholstery on the seat only or fully upholstered. See manufacturers' fabric specifications.

ENVIRONMENTAL CERTIFICATES

UNE EN 16139 Resistencia, durabilidad y seguridad. Strength, durability and safety. Résistance, durabilité et sécurité.


ISO 14006 Ecodesign.

EPD (Declaración medioambiental de producto, Environmental product declaration).

 Recyclable up to **97 %**.

MEASURES

KABI SWIVEL



SPECS



Product weight:
Kabi Swivel without arms
6,5 kg

Kabi Swivel with arms
8,5 kg



Packaging Information:
680X560X840 mm



Number of chairs per box:
1



**Footage for upholstered versions
(COM):**
(for more than 1 unit contact factory)

seat 0,54 ml / 10 feet
fully 0,86 ml / 15 feet

ACCESSORIES



Aluminium base / KB
Powder coated,
chromed or gloss.



Closed arms / KB
Powder coated,
chromed or gloss.



Castors / KB
Hard or soft castors.

IMAGES



AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

© AKABA S.A. All rights reserved